

ORG 8494

VIN Deciphering Buchan Industries LLC d/b/a Battle Wagon Trailers		
1st Section		
Position 1	WMI	4-Assigned by SAE
Position 2	WMI	B-Assigned by SAE
Position 3	WMI	9-Assigned by SAE
2nd Section		
Position 4	Make	B=Battle Wagon Trailers
Position 5	Type of Trailer	1=King Pin 2=Pinle Hitch
Position 6	Body Type	A=18" Drop Frame Dove Tail B=18" Drop Frame w/o Dove Tail C=12" Drop Frame D=Straight Frame w/o Floor E= Straight Frame Flat Bed Floor F= Drop Deck Floor G= Log Loader H= Chassis Only J=Self Steer K=Utility
Position 7	Length	1=22 Feet Long 2=23 Feet Long 3=24 Feet Long 4=25 Feet Long 5=26 Feet Long 6=27 Feet Long 7=28 Feet Long 8=29 Feet Long 9=30 Feet Long A=31 Feet Long B=32 Feet Long C=33 Feet Long D= 34 Feet Long E=35 Feet Long F=36 Feet Long G=37 Feet Long H=38 Feet Long J=39 Feet Long K=40 Feet Long L=41 Feet Long M=42 Feet Long N=43 Feet Long P=44Feet Long R=45 Feet Long S=46 Feet Long T=47 Feet Long U=48 Feet Long

		V=49 Feet Long W=50 Feet Long X=51 Feet Long Y=52 Feet Long Z=53 Feet Long
Position 8	Axle Configuration	1=Single Axle 2= 2 Axles Closed 3= 2 Axles Spread 4= 3 Axles Closed 5= 3 Axles Spread 6= 4 Axles Closed
3rd Section		
Position 9	Check Digit	Calculated See 49 CFR 565.15©
4th Section		
Position 10	Model Year	See 49 CFR 565.15(d)(1) Assigned by NHTSA D=2013 E=2014
Position 11	Plant of Manufacture	F=Fort Wayne, IN, USA
Position 12	WMI	0-Assigned by SAE
Position 13	WMI	2-Assigned by SAE
Position 14	WMI	9-Assigned by SAE
Position 15	Sequentially Assigned	
Position 16		
Position 17		